

Fill to here

Fill to here

FOR ODOR CONTROL



IN-SITU CHLORINE DIOXIDE GENERATOR

Ingredients

Active - sodium chlorite	=	.255
Other Ingredients:	=	.745
Net Weight of Ingredients:	=	28.64g
Material Number:		800-90030



PLASTIC CUP

Manufactured for: Selective Micro Technologies 6200 Avery Rd., Suite A Dublin, OH 43016 855-256-8299

INSTRUCTIONS FOR USE

1. Remove lid from cup and remove foil pouch. Carefully tear open pouch and retrieve large white envelope from inside foil pouch. Discard foil pouch and desiccants in waste receptacle.
2. Place envelope inside cup. Do not cut or tear large white envelope. Contact your local distributor if loose white powder is present and/or large white envelope appears to be damaged.
3. Fill cup with water to designated fill line (see above) to activate chlorine dioxide generation. Do not place lid back on cup.
4. Place (1) container in enclosed area per 1,000 ft³ or less. Leave container in place for a minimum of 4 hours before discarding. For best results, an overnight treatment application is recommended.
5. Allow area to ventilate until chlorine-like smell is gone before reusing area. Discard liquid solution down designated disposal drain in compliance with state or federal regulations. Avoid contact with activated solution and avoid inhaling fumes.



DANGER NOTE: For professional use only. KEEP OUT OF REACH OF CHILDREN

NOTE: GHS HAZARD STATEMENTS APPLY TO THE DRY CHEMICAL. THIS PRODUCT FULLY COMPARTMENTALIZES DRY INGREDIENTS INSIDE A HYDROPHOBIC ENVELOPE. UNDER NORMAL USE CONDITIONS AND UNLESS SEALED PRODUCT ENVELOPE IS COMPROMISED, CONTACT WITH THE DRY INGREDIENTS WILL NOT OCCUR. READ SDS BEFORE USE.

MAY INTENSIFY FIRE. OXIDIZER. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENTS:

AVOID BREATHING FUMES. AVOID CONTACT WITH SKIN AND EYES. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION. DO NOT BREATHE CHLORINE DIOXIDE FUMES. USE IN WELL VENTILATED AREA.

Activated solution: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

Read product SDS for additional safety information before use.

Warranty Statement: The Company warrants the product to be free from defects in material and workmanship. **This product does not make antimicrobial claims.** THE COMPANY MAKES NO WARRANTY THAT THE GOODS SHALL BE MERCHANTABLE. THE COMPANY MAKES NO WARRANTY, EXPRESS OR IMPLIED, EXCEPT SUCH AS IS EXPRESSLY SET FORTH HEREIN. The Company shall not be liable for any incidental or consequential damages for any breach of warranty. The Company's liability for any breach of warranty shall be limited to the purchase price of the product.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice. Get medical attention. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.